



Feinwerkbau®
Westinger & Altenburger GmbH



Accessories catalog

2014

PRECISION FOR YOUR SUCCESS

überreicht durch: presented by:

Dieser Katalog ist kostenlos. This catalogue is free.
03/14 | Technische- und Design-Änderungen vorbehalten. Modifications of technics and design reserved. Printed in Germany.

Feinwerkbau®
Westinger & Altenburger GmbH
Neckarstraße 43
D-78727 Oberndorf/Neckar · Germany

Tel. 0 74 23 / 8 14-0
Fax 0 74 23 / 8 14-200
E-Mail: info@feinwerkbau.de
<http://www.feinwerkbau.de>

We are glad, to present you our new accessories catalog.


In this catalog, you'll find usefull accessories for your Feinwerkbau rifles and pistols.

This catalog will be extended regularly. The most current update of this catalog, you will find online at: www.feinwerkbau.de.

The prices for our accessories, you'll find in our new pricelist.

Get a look behind the scenes of Feinwerkbau at:

[www.youtube.com/
feinwerkbaugmbh](http://www.youtube.com/feinwerkbaugmbh)



Content

Accessories for all air rifles	page	4-5
Rifles		
800 X	page	6-7
800 X Shooting on a Rest	page	8-9
800 Alu	page	10-11
700 Alu and 700 Shooting on a Rest	page	12-13
800 Universal and 700 Universal	page	14-15
700 Basic and LG 500	page	16-17
700 Evolution and 700 Junior	page	18-19
2700 Small Bore Rifle and 2700 Small Bore Rifle Shooting on a Rest	page	20-21

Pistols		
P44 / P11 (air pistols) -- AW93 (sporting pistol)	page	22-23

Errors excepted - No general liability for wrong placed pictures or assembly instruction. FEINWERKBAU does not assume any liability for events due to disregarding this manual, wrong handling, negligence, improper treatment, unauthorized part exchange and other manipulations at the air-rifle.
- Subject to change -





Compressed air cylinders

- 1830.001.2 Filling adapter BRD, compl., (CO2)
- 1830.003.2 Filter with seal ring
- 1830.006.1 Discharge screw

- 1830.214.1 Dust cap for cylinder
- 1877.001.2 Filler neck, complete
- 3.2.016.201 Compressed air cylinder, silver, short, complete;
- 3.2.020.201 Compressed air cylinder, silver, long, complete
- 3.2.024.201 Compressed air cylinder, blue, long, complete

- 3.2.024.203 Compressed air cylinder, blue, short, complete;
- 3.2.100.201 Compressed air cylinder, black, long, complete
- 3.2.100.204 Compressed air cylinder, black, short, complete;
- 3.2.172.201 Compressed air cylinder, red, short, complete;
- 3.2.180.201 Compressed air cylinder, red, long, complete




Weights

- 1780.903.2 Weight ring, 100 g, complete
- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.916 Weight plate, 150 g
- 3.2.016.925 Moveable weight, 160 g, complete, dull chromium plated

- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47 g)
- 3.2.100.558 Pile weight approx. 66 g
- 3.2.100.559 Stapelgewicht, Alu, 24 g Pile weight approx. 24 g;
- 3.2.150.110 Barrel weight, complete, 140 g
- 3.2.220.901 Barrel weight, complete 150 g

- 3.2.220.905 Weight plate, 115 g
- 3.2.220.906 Additional stock weight, 75 g
- 3.2.220.909 Extension for pile weights
- 3.2.220.916 Sighting line extension tube, complete, steel (425 g)



PRECISION FOR YOUR SUCCESS

Other accessories


- 1750.010.3 Special grease 4 g
- 4.9.0309 Rifle case with knob inlay

Optical

- 1780.8xx.x Transparent insert 2,8-3,0-3,2-3,4-3,6-3,7-3,8-3,9-4,0-4,2-4,4-4,6-4,8-5,0-5,2-5,4-5,6-5,8 mm for front sight tunnel $\phi = 22$ mm
- 3.2.000xxx Transparent insert 6,0-6,2-6,4-6,6-6,8-7,0 for front sight tunnel $\phi = 22$ mm)
- 1746.902.2 Sight line elevation, complete, 13 mm
- 1752.915.2 Sight line elevation, complete, 8,5 mm

- 1780.122.2 Clamping screw with support ring for transparent inserts
- 1780.910.2 Foresight optic dioptic 0,5 (1,5x) (Adlerauge) M 22
- 1780.914.2 Foresight optic dioptic 0,3 (Adlerauge) M 22
- 1780.915.2 Tilt sight screw
- 1780.950.3 Foresight iris, adjustable from 2,8 to 4,8 mm
- 1780.955.3 Foresight iris, adjustable from 3,8 to 5,8 mm
- 1780.960.3 Iris diopter disc, adjustable from 0,5 to 3,0 mm
- 1780.965.3 Iris diopter disc, adjustable from 0,5 to 3,0 mm with 5 colour filter
- 3.2.020.7 Diopter, black

- 3.2.028.105 Sight elevation and relocation for shooting on a rest 13 mm
- 3.2.028.112 Sighting line extension, 14 cm, complete, for shooting on a rest
- 3.2.028.114 Sighting line extension, 20 cm, complete, for shooting on a rest
- 3.2.220.2 Vario-sight 4 x 4
- 3.2.220.7 Diopter, black (20 clicks)
- 3.2.220.916 Sighting line extension tube, complete, steel (425 g)
- 3.5.040.902 Front sight holder, short (only for barrel diameter 22 mm)
- 1746.903.2 Front sight holder, raised, complete




Trigger

- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger



Please consider, that the pictures are not proportional in size



Plates

- 1780.535.2 Buttplate, mounted (rubber, without support) ==> for shooting on a rest
- 3.2.172.525 Buttplate, complete, with short rack set (Alu)
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest (black)
- 3.2.220.570 Buttplate, complete
- 3.2.220.571 Buttplate, mounted
- 3.2.226.570 Buttplate, complete for shooting on a rest
- 3.2.226.571 Buttplate, mounted
- 3.5.006.512 Damper
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest (black)

Cheek pieces

- 3.2.100.513 Cheek rest, complete, black-grey
- 3.2.106.513 Cheek rest, complete, blue
- 3.2.172.513 Cheek rest, complete, black-red
- 3.2.220.513 Cheek rest, complete, black
- 3.2.226.510 Distance washer
- 3.2.226.513 Cheek rest, complete, nutwood (Mod. 800)
- 3.2.232.513 Cheek piece, complete, laminated wood red
- 3.2.238.513 Cheek rest, complete, black
- 3.2.250.513 Cheek rest, complete, black (Mod. 800)

Weights

- 1780.903.2 Weight ring, 100 g, complete
- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.916 Weight plate, 150 g;
- 3.2.016.925 Moveable weight, 160g, complete, dull chromium plated
- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47 g)
- 3.2.100.558 Pile weight approx. 66 g
- 3.2.100.559 Pile weight approx. 24 g
- 3.2.150.110 Barrel weight, complete, 140 g
- 3.2.220.901 Barrel weight, complete 150 g
- 3.2.220.905 Weight plate, 115 g

Other

- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.2.100.527 Attachment plate, large
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72 mm)
- 3.2.220.560 Hand support, black, adjustable in height (Mod. 800)
- 3.2.220.581 Extension for Set of rods, 25mm, complete (Mod. 800)
- 3.2.220.917 Hand rest, flat, complete (150 g)
- 3.2.220.921 Support, low


Grips

- 3.2.100.508 Grip, size M, right, for alu-stock, black-grey
- 3.2.101.508 Grip, size M, left, for alu-stock, black-grey
- 3.2.102.508 Grip, size S, right, for alu-stock, black-grey
- 3.2.103.508 Grip, size S, left, for alu-stock, black-grey
- 3.2.104.508 Grip, size L, right, for alu-stock, black-grey
- 3.2.105.508 Grip, size L, left, for alu-stock, black-grey
- 3.2.106.508 Grip, size M, right, for alu-stock, blue
- 3.2.107.508 Grip, size M, left, for alu-stock, blue
- 3.2.108.508 Grip, size S, right, for alu-stock, blue
- 3.2.109.508 Grip, size S, left, for alu-stock, blue
- 3.2.110.508 Grip, size L, right, for alu-stock, blue
- 3.2.111.508 Grip, size L, left, for alu-stock, blue
- 3.2.172.508 Grip, size M, right, for alu-stock, black-red
- 3.2.173.508 Grip, size M, left, for alustock, black-red
- 3.2.174.508 Grip, size S, right, for alu-stock, black-red
- 3.2.175.508 Grip, size S, left, for alustock, black-red
- 3.2.176.508 Grip, size L, right, for alu-stock, black-red
- 3.2.177.508 Grip, size L, left, for alustock, black-red
- 3.2.220.508 Grip, size M, right, beech, black (grip lacquer, Mod..800)
- 3.2.221.508 Grip, size M, left, beech, black (grip lacquer, Mod..800)
- 3.2.222.508 Grip, size S, right, beech, black (grip lacquer, Mod..800)
- 3.2.223.508 Grip, size S, left, beech, black (grip lacquer, Mod..800)
- 3.2.224.508 Grip, size L, right, beech, black (grip lacquer, Mod..800)
- 3.2.225.508 Grip, size L, left, beech, black (grip lacquer, Mod..800)
- 3.2.226.508 Grip, size M, right, nutwood
- 3.2.227.508 Grip, size M, left, nutwood
- 3.2.228.508 Grip, size S, right, nutwood
- 3.2.229.508 Grip, size S, left, nutwood
- 3.2.230.508 Grip, size L, right, nutwood
- 3.2.231.508 Grip, size L, left, nutwood

Stocks

- 3.2.220.5 Alu stock, Mod. 800, black/silver, right, grip size M
- 3.2.221.5 Alu stock, Mod. 800, black/silver, left, grip size M
- 3.2.222.5 Alu stock, Mod. 800, black/silver, right, grip size S
- 3.2.223.5 Alu stock, Mod. 800, black/silver, left, grip size S
- 3.2.224.5 Alu stock, Mod. 800, black/silver, right, grip size L
- 3.2.225.5 Alu stock, Mod. 800, black/silver, left, grip size L
- 3.2.226.5 Alu stock, Mod. 800 X, walnut, right, grip size M
- 3.2.227.5 Alu stock, Mod. 800 X, walnut, left, grip size M
- 3.2.228.5 Alu stock, Mod. 800 X, walnut, right, grip size S
- 3.2.229.5 Alu stock, Mod. 800 X, walnut, left, grip size S
- 3.2.230.5 Alu stock, Mod. 800 X, walnut, right, grip size L
- 3.2.231.5 Alu stock, Mod. 800 X, walnut, left, grip size L
- 3.2.238.5 Alu stock, Mod. 800, black, right, grip size M
- 3.2.239.5 Alu stock, Mod. 800, black, left, grip size M
- 3.2.240.5 Alu stock, Mod. 800, black, right, grip size S
- 3.2.241.5 Alu stock, Mod. 800, black, left, grip size S
- 3.2.242.5 Alu stock, Mod. 800, black, right, grip size L
- 3.2.243.5 Alu stock, Mod. 800, black, left, grip size L
- 3.2.250.5 Alu stock, Mod. 800, red, right, grip size M
- 3.2.251.5 Alu stock, Mod. 800, red, left, grip size M
- 3.2.252.5 Alu stock, Mod. 800, red, right, grip size S
- 3.2.253.5 Alu stock, Mod. 800, red, left, grip size S
- 3.2.254.5 Alu stock, Mod. 800, red, right, grip size L
- 3.2.255.5 Alu stock, Mod. 800, red, left, grip size L





Plates

- 1780.535.2 Buttplate, mounted (rubber, without support)
=> for shooting on a rest
- 3.2.172.525 Buttplate, complete, with short rack set (Alu)
- 3.2.220.570 Buttplate, complete
- 3.2.220.571 Buttplate, mounted
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest (black)
- 3.2.226.570 Buttplate, complete for shooting on a rest
- 3.2.226.571 Buttplate, mounted
- 3.5.006.512 Damper

Cheek pieces

- 3.2.100.513 Cheek rest, complete, black-grey
- 3.2.106.513 Cheek rest, complete, blue
- 3.2.172.513 Cheek rest, complete, black-red
- 3.2.220.513 Cheek rest, complete, black
- 3.2.226.510 Distance washer
- 3.2.226.513 Cheek rest, complete, nutwood (Mod. 800)
- 3.2.232.513 Cheek piece, complete, laminated wood red
- 3.2.238.513 Cheek rest, complete, black
- 3.2.250.513 Cheek rest, complete, black (Mod. 800)

Weights

- 1780.903.2 Weight ring, 100 g, complete
- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.916 Weight plate, 150 g;
- 3.2.016.925 Moveable weight, 160 g, complete, dull chromium plated
- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47 g)
- 3.2.100.558 Pile weight approx. 66 g
- 3.2.100.559 Pile weight approx. 24 g
- 3.2.150.110 Barrel weight, complete, 140 g
- 3.2.220.901 Barrel weight, complete 150 g
- 3.2.220.905 Weight plate, 115 g
- 3.2.220.906 Additional stock weight, 75 g
- 3.2.220.909 Extension for pile weights
- 3.2.220.916 Sighting line extension tube, complete, steel (425 g)
- 3.2.220.904 Weight plate, 115 g, compl., below cheek 800

Other

- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.2.100.527 Attachment plate, large
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72mm)
- 3.2.220.560 Hand support, black, adjustable in height (Mod. 800)
- 3.2.220.581 Extension for Set of rods, 25mm, complete (Mod. 800)
- 3.2.220.917 Hand rest, flat, complete (150g)
- 3.2.220.921 Support, low
- 3.2.220.925 Support border, with non-slip surface
- 3.2.220.931 Connecting joint, shorted 8 mm
- 3.2.226.530 Handle bar compl.
- 3.2.226.540 Extension for front stock (approx. 10 cm)
- 3.2.226.547 Extension for compressed air cylinder (105 mm)
- 3.2.226.550 Support border (walnut) compl.
- 3.4.350.310 Vario-Trigger
- 3.5.010.945 Set of racks, short (approx. 52 mm)
- 3.5.010.946 Set of racks (approx. 72 mm)
- 3.5.040.530 Hand support, black, adjustable in height and width, complete
- 3.5.010.944 Set of racks, long (approx. 95 mm)


Grips

- 3.2.100.508 Grip, size M, right, for alu-stock, black-grey
- 3.2.101.508 Grip, size M, left, for alu-stock, black-grey
- 3.2.102.508 Grip, size S, right, for alu-stock, black-grey
- 3.2.103.508 Grip, size S, left, for alu-stock, black-grey
- 3.2.104.508 Grip, size L, right, for alu-stock, black-grey
- 3.2.105.508 Grip, size L, left, for alu-stock, black-grey
- 3.2.106.508 Grip, size M, right, for alu-stock, blue
- 3.2.107.508 Grip, size M, left, for alu-stock, blue
- 3.2.108.508 Grip, size S, right, for alu-stock, blue
- 3.2.109.508 Grip, size S, left, for alu-stock, blue
- 3.2.110.508 Grip, size L, right, for alu-stock, blue
- 3.2.111.508 Grip, size L, left, for alu-stock, blue
- 3.2.172.508 Grip, size M, right, for alu-stock, black-red
- 3.2.173.508 Grip, size M, left, for alu-stock, black-red
- 3.2.174.508 Grip, size S, right, for alu-stock, black-red
- 3.2.175.508 Grip, size S, left, for alu-stock, black-red
- 3.2.176.508 Grip, size L, right, for alu-stock, black-red
- 3.2.177.508 Grip, size L, left, for alu-stock, black-red
- 3.2.220.508 Grip, size M, right, beech, black (grip lacquer, Mod. 800)
- 3.2.221.508 Grip, size M, left, beech, black (grip lacquer, Mod. 800)
- 3.2.222.508 Grip, size S, right, beech, black (grip lacquer, Mod. 800)
- 3.2.223.508 Grip, size S, left, beech, black (grip lacquer, Mod. 800)
- 3.2.224.508 Grip, size L, right, beech, black (grip lacquer, Mod. 800)
- 3.2.225.508 Grip, size L, left, beech, black (grip lacquer, Mod. 800)
- 3.2.226.508 Grip, size M, right, nutwood
- 3.2.227.508 Grip, size M, left, nutwood
- 3.2.228.508 Grip, size S, right, nutwood
- 3.2.229.508 Grip, size S, left, nutwood
- 3.2.230.508 Grip, size L, right, nutwood
- 3.2.231.508 Grip, size L, left, nutwood

Stocks

- 3.2.220.5 Alu stock, Mod. 800, black/silver, right, grip size M
- 3.2.221.5 Alu stock, Mod. 800, black/silver, left, grip size M
- 3.2.222.5 Alu stock, Mod. 800, black/silver, right, grip size S
- 3.2.223.5 Alu stock, Mod. 800, black/silver, left, grip size S
- 3.2.224.5 Alu stock, Mod. 800, black/silver, right, grip size L
- 3.2.225.5 Alu stock, Mod. 800, black/silver, left, grip size L
- 3.2.226.5 Alu stock, Mod. 800 X, walnut, right, grip size M
- 3.2.227.5 Alu stock, Mod. 800 X, walnut, left, grip size M
- 3.2.228.5 Alu stock, Mod. 800 X, walnut, right, grip size S
- 3.2.229.5 Alu stock, Mod. 800 X, walnut, left, grip size S
- 3.2.230.5 Alu stock, Mod. 800 X, walnut, right, grip size L
- 3.2.231.5 Alu stock, Mod. 800 X, walnut, left, grip size L
- 3.2.238.5 Alu stock, Mod. 800, black, right, grip size M
- 3.2.239.5 Alu stock, Mod. 800, black, left, grip size M
- 3.2.240.5 Alu stock, Mod. 800, black, right, grip size S
- 3.2.241.5 Alu stock, Mod. 800, black, left, grip size S
- 3.2.242.5 Alu stock, Mod. 800, black, right, grip size L
- 3.2.243.5 Alu stock, Mod. 800, black, left, grip size L
- 3.2.250.5 Alu stock, Mod. 800, red, right, grip size M
- 3.2.251.5 Alu stock, Mod. 800, red, left, grip size M
- 3.2.252.5 Alu stock, Mod. 800, red, right, grip size S
- 3.2.253.5 Alu stock, Mod. 800, red, left, grip size S
- 3.2.254.5 Alu stock, Mod. 800, red, right, grip size L
- 3.2.255.5 Alu stock, Mod. 800, red, left, grip size L





Plates

- 1780.535.2 Buttplate, mounted (rubber, without support) ==> for shooting on a rest
- 3.2.172.525 Buttplate, complete, with short rack set (Alu)
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest (black)
- 3.2.220.570 Buttplate, complete
- 3.2.220.571 Buttplate, mounted
- 3.2.226.570 Buttplate, complete for shooting on a rest
- 3.2.226.571 Buttplate, mounted
- 3.5.006.512 Damper
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest (black)

Cheek pieces

- 3.2.100.513 Cheek rest, complete, black-grey
- 3.2.106.513 Cheek rest, complete, blue
- 3.2.172.513 Cheek rest, complete, black-red
- 3.2.220.513 Cheek rest, complete, black
- 3.2.226.510 Distance washer
- 3.2.226.513 Cheek rest, complete, nutwood (Mod. 800)
- 3.2.232.513 Cheek piece, complete, laminated wood red
- 3.2.238.513 Cheek rest, complete, black
- 3.2.250.513 Cheek rest, complete, black (Mod. 800)

Weights

- 1780.903.2 Weight ring, 100 g, complete
- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.916 Weight plate, 150 g
- 3.2.016.925 Moveable weight, 160 g, complete, dull chromium plated
- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47 g)
- 3.2.100.558 Pile weight approx. 66 g
- 3.2.100.559 Pile weight approx. 24 g
- 3.2.150.110 Barrel weight, complete, 140 g
- 3.2.220.901 Barrel weight, complete 150 g
- 3.2.220.905 Weight plate, 115 g
- 3.2.220.906 Additional stock weight, 75 g
- 3.2.220.909 Extension for pile weights
- 3.2.220.916 Sighting line extension tube, complete, steel (425 g)
- 3.2.220.904 Weight plate, 115 g, compl., below cheek 800
- 3.2.122.580 Barrel hand protection

Other

- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.2.100.527 Attachment plate, large
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72 mm)
- 3.2.220.560 Hand support, black, adjustable in height (Mod. 800)
- 3.2.220.581 Extension for Set of rods, 25 mm, complete (Mod. 800)
- 3.2.220.917 Hand rest, flat, complete (150 g)
- 3.2.220.921 support, low
- 3.2.220.925 Support border, with non-slip surface
- 3.2.220.931 Connecting joint, shorted 8 mm
- 3.2.226.530 Handle bar compl.
- 3.2.226.540 Extension for front stock (approx. 10 cm)
- 3.2.226.547 Extension for compressed air cylinder (105 mm)
- 3.2.226.550 Support border (walnut) compl.
- 3.4.350.310 Vario-Trigger
- 3.5.010.945 Set of racks, short (approx. 52 mm)
- 3.5.010.946 Set of racks (approx. 72 mm)
- 3.5.040.530 Hand support, black, adjustable in height and width, complete
- 3.5.010.944 Set of racks, long (approx. 95 mm)


Grips

- 3.2.100.508 Grip, size M, right, for alu-stock, black-grey
- 3.2.101.508 Grip, size M, left, for alu-stock, black-grey
- 3.2.102.508 Grip, size S, right, for alu-stock, black-grey
- 3.2.103.508 Grip, size S, left, for alu-stock, black-grey
- 3.2.104.508 Grip, size L, right, for alu-stock, black-grey
- 3.2.105.508 Grip, size L, left, for alu-stock, black-grey
- 3.2.106.508 Grip, size M, right, for alu-stock, blue
- 3.2.107.508 Grip, size M, left, for alu-stock, blue
- 3.2.108.508 Grip, size S, right, for alu-stock, blue
- 3.2.109.508 Grip, size S, left, for alu-stock, blue
- 3.2.110.508 Grip, size L, right, for alu-stock, blue
- 3.2.111.508 Grip, size L, left, for alu-stock, blue
- 3.2.172.508 Grip, size M, right, for alu-stock, black-red
- 3.2.173.508 Grip, size M, left, for alu-stock, black-red
- 3.2.174.508 Grip, size S, right, for alu-stock, black-red
- 3.2.175.508 Grip, size S, left, for alu-stock, black-red
- 3.2.176.508 Grip, size L, right, for alu-stock, black-red
- 3.2.177.508 Grip, size L, left, for alu-stock, black-red
- 3.2.220.508 Grip, size M, right, beech, black (grip lacquer, Mod..800)
- 3.2.221.508 Grip, size M, left, beech, black (grip lacquer, Mod..800)
- 3.2.222.508 Grip, size S, right, beech, black (grip lacquer, Mod..800)
- 3.2.223.508 Grip, size S, left, beech, black (grip lacquer, Mod..800)
- 3.2.224.508 Grip, size L, right, beech, black (grip lacquer, Mod..800)
- 3.2.225.508 Grip, size L, left, beech, black (grip lacquer, Mod..800)
- 3.2.226.508 Grip, size M, right, nutwood
- 3.2.227.508 Grip, size M, left, nutwood
- 3.2.228.508 Grip, size S, right, nutwood
- 3.2.229.508 Grip, size S, left, nutwood
- 3.2.230.508 Grip, size L, right, nutwood
- 3.2.231.508 Grip, size L, left, nutwood

Stocks

- 3.2.220.5 Alu stock, Mod. 800, black/silver, right, grip size M
- 3.2.221.5 Alu stock, Mod. 800, black/silver, left, grip size M
- 3.2.222.5 Alu stock, Mod. 800, black/silver, right, grip size S
- 3.2.223.5 Alu stock, Mod. 800, black/silver, left, grip size S
- 3.2.224.5 Alu stock, Mod. 800, black/silver, right, grip size L
- 3.2.225.5 Alu stock, Mod. 800, black/silver, left, grip size L
- 3.2.226.5 Alu stock, Mod. 800 X, walnut, right, grip size M
- 3.2.227.5 Alu stock, Mod. 800 X, walnut, left, grip size M
- 3.2.228.5 Alu stock, Mod. 800 X, walnut, right, grip size S
- 3.2.229.5 Alu stock, Mod. 800 X, walnut, left, grip size S
- 3.2.230.5 Alu stock, Mod. 800 X, walnut, right, grip size L
- 3.2.231.5 Alu stock, Mod. 800 X, walnut, left, grip size M
- 3.2.238.5 Alu stock, Mod. 800, black, right, grip size M
- 3.2.239.5 Alu stock, Mod. 800, black, left, grip size M
- 3.2.240.5 Alu stock, Mod. 800, black, right, grip size S
- 3.2.241.5 Alu stock, Mod. 800, black, left, grip size S
- 3.2.242.5 Alu stock, Mod. 800, black, right, grip size L
- 3.2.243.5 Alu stock, Mod. 800, black, left, grip size L
- 3.2.250.5 Alu stock, Mod. 800, red, right, grip size M
- 3.2.251.5 Alu stock, Mod. 800, red, left, grip size M
- 3.2.252.5 Alu stock, Mod. 800, red, right, grip size S
- 3.2.253.5 Alu stock, Mod. 800, red, left, grip size S
- 3.2.254.5 Alu stock, Mod. 800, red, right, grip size L
- 3.2.255.5 Alu stock, Mod. 800, red, left, grip size L

700 Alu



700 Alu Shooting on a Rest

Other

- 3.2.100.330 Add-on cocking lever (for models 700 cocking downwards)
- 3.2.122.544 Lower stock support, for shooting on a rest, blue
- 3.2.122.580 Barrel hand protection, air rifle, complete (for shooting on the rest)
- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.925 Moveable weight, 160 g, complete, dull chromium plated
- 3.2.100.550 Moveable weight, inside, complete
- 1780.903.2 Weight ring, 100 g, complete

- 3.2.220.901 Barrel weight, complete 150g
- 3.2.016.916 Weight plate, 150 g
- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47 g)
- 3.2.172.525 Buttplate, complete, with short rack set (Alu)
- 3.2.116.525 Buttplate, complete, with rack, for shooting on a rest
- 3.2.116.526 Buttplate, mounted, for shooting on a rest
- 3.2.220.571 Buttplate, mounted
- 3.2.220.570 Buttplate, complete
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72 mm)

- 3.5.010.944 Set of racks, long (approx. 95 mm)
- 3.5.010.945 Set of racks, short (approx. 52 mm)
- 3.5.010.946 Set of racks (approx. 72 mm)
- 3.2.100.527 Attachment plate, large
- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 3.5.006.512 Damper
- 3.2.122.580 Barrel hand protection

Grips

- 3.2.220.508 Grip, size M, right, beech, black (grip lacquer, Mod. 800)
- 3.2.221.508 Grip, size M, left, beech, black (grip lacquer, Mod. 800)
- 3.2.222.508 Grip, size S, right, beech, black (grip lacquer, Mod. 800)
- 3.2.223.508 Grip, size S, left, beech, black (grip lacquer, Mod. 800)
- 3.2.224.508 Grip, size L, right, beech, black (grip lacquer, Mod. 800)
- 3.2.225.508 Grip, size L, left, beech, black (grip lacquer, Mod. 800)
- 3.2.100.508 Grip, size M, right, for alu-stock, black-grey
- 3.2.101.508 Grip, size M, left, for alu-stock, black-grey
- 3.2.102.508 Grip, size S, right, for alu-stock, black-grey
- 3.2.103.508 Grip, size S, left, for alu-stock, black-grey
- 3.2.104.508 Grip, size L, right, for alu-stock, black-grey

- 3.2.105.508 Grip, size L, left, for alu-stock, black-grey
- 3.2.106.508 Grip, size M, right, for alu-stock, blue
- 3.2.107.508 Grip, size M, left, for alu-stock, blue
- 3.2.108.508 Grip, size S, right, for alu-stock, blue
- 3.2.109.508 Grip, size S, left, for alu-stock, blue
- 3.2.110.508 Grip, size L, right, for alu-stock, blue
- 3.2.111.508 Grip, size L, left, for alu-stock, blue
- 3.2.172.508 Grip, size M, right, for alu-stock, black-red
- 3.2.173.508 Grip, size M, left, for alu-stock, black-red
- 3.2.174.508 Grip, size S, right, for alu-stock, black-red
- 3.2.175.508 Grip, size S, left, for alu-stock, black-red
- 3.2.176.508 Grip, size L, right, for alu-stock, black-red
- 3.2.177.508 Grip, size L, left, for alu-stock, black-red

Stocks 700 Alu Shooting on a Rest

- 3.2.122.5 Alu stock, for shooting on a rest, Mod. 700, blue, right, grip size M
- 3.2.123.5 Alu stock, for shooting on a rest, Mod. 700, blue, left, grip size M
- 3.2.124.5 Alu stock, for shooting on a rest, Mod. 700, blue, right, grip size S
- 3.2.125.5 Alu stock, for shooting on a rest, Mod. 700, blue, left, grip size S
- 3.2.126.5 Alu stock, for shooting on a rest, Mod. 700, blue, right, grip size L
- 3.2.127.5 Alu stock, for shooting on a rest, Mod. 700, blue, left, grip size L
- 3.2.128.5 Alu stock, for shooting on a rest, Mod. 700, silver, right, grip size M
- 3.2.129.5 Alu stock, for shooting on a rest, Mod. 700, silver, left, grip size M
- 3.2.130.5 Alu stock, for shooting on a rest, Mod. 700, silver, right, grip size S
- 3.2.131.5 Alu stock, for shooting on a rest, Mod. 700, silver, left, grip size S
- 3.2.132.5 Alu stock, for shooting on a rest, Mod. 700, silver, right, grip size L
- 3.2.133.5 Alu stock, for shooting on a rest, Mod. 700, silver, left, grip size L

Other 700 Alu

- 3.2.100.330 Add-on cocking lever (for models 700 cocking downwards)
- 3.2.106.560 Hand support, blue, adjustable in height
- 3.2.140.560 Hand support, black, adjustable in height
- 3.2.180.560 Hand support, red, adjustable in height
- 3.2.140.570 Hand support, black, adjustable in height and width
- 3.2.122.570 Lower stock support, for shooting on a rest, blue
- 3.2.128.570 Lower stock support, for shooting on a rest, black
- 3.5.040.530 Hand support, black, adjustable in height and width, complete
- 3.2.122.580 Barrel hand protection, air rifle, complete (for shooting on the rest)
- 3.2.100.558 Pile weight approx. 66 g
- 3.2.100.559 Pile weight approx. 24 g

- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.925 Moveable weight, 160 g, complete, dull chromium plated
- 1780.903.2 Weight ring, 100 g, complete
- 3.2.220.901 Barrel weight, complete 150 g
- 3.2.016.916 Weight plate, 150 g
- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47g)
- 3.2.172.525 Buttplate, complete, with short rack set (Alu)
- 3.2.116.525 Buttplate, complete, with rack, for shooting on a rest
- 3.2.116.526 Buttplate, mounted, for shooting on a rest
- 3.2.220.571 Buttplate, mounted
- 3.2.220.570 Buttplate, complete
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72 mm)

- 3.2.220.581 Extension for Set of rods, 25 mm, complete (Mod. 800)
- 3.5.010.944 Set of racks, long (approx. 95 mm)
- 3.5.010.945 Set of racks, short (approx. 52 mm)
- 3.5.010.946 Set of racks (approx. 72 mm)
- 3.2.100.527 Attachment plate, large
- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.5.006.512 Damper
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest
- 3.2.122.580 Barrel hand protection


Stocks 700 Alu

- 3.2.106.5 Alu stock, Mod. 700, silver/blue, right, grip size M
- 3.2.107.5 Alu stock, Mod. 700, silver/blue, left, grip size M
- 3.2.108.5 Alu stock, Mod. 700, silver/blue, right, grip size S
- 3.2.109.5 Alu stock, Mod. 700, silver/blue, left, grip size S

- 3.2.110.5 Alu stock, Mod. 700, silver/blue, right, grip size L
- 3.2.111.5 Alu stock, Mod. 700, silver/blue, left, grip size L
- 3.2.140.5 Alu stock, Mod. 700, silver/black, right, grip size M
- 3.2.141.5 Alu stock, Mod. 700, silver/black, left, grip size M
- 3.2.142.5 Alu stock, Mod. 700, silver/black, right, grip size S
- 3.2.143.5 Alu stock, Mod. 700, silver/black, left, grip size S
- 3.2.144.5 Alu stock, Mod. 700, silver/black, right, grip size L

- 3.2.145.5 Alu stock, Mod. 700, silver/black, left, grip size L
- 3.2.180.5 Alu stock, Mod. 700, silver/red, right, grip size M
- 3.2.181.5 Alu stock, Mod. 700, silver/red, left, grip size S
- 3.2.182.5 Alu stock, Mod. 700, silver/red, right, grip size S
- 3.2.183.5 Alu stock, Mod. 700, silver/red, left, grip size L
- 3.2.184.5 Alu stock, Mod. 700, silver/red, right, grip size L
- 3.2.185.5 Alu stock, Mod. 700, silver/red, left, grip size L

800
Universal



700
Universal

Other

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|------------|--|------------|--|------------|---|-------------|--|------------|------------------------------|-------------|--------------------------------|-------------|-------------------------------|-------------|---------------------|------------|--|------------|-------------------------------------|------------|------------------------------------|------------|--|------------|--|------------|--|------------|-------------------------------------|-------------|-----------------------------------|-------------|--|-------------|--------------------|------------|--|------------|-------------------------|-------------|---------------|------------|-----------------------------------|------------|--|-------------|--------|-------------|--|-------------|---|-------------|---|
| 3.2.100.330 | Add-on cocking lever (for models 700 cocking downwards) | 1500.926.1 | Additional weight, 220 g, lead, complete | 1500.927.1 | Additional weight, 110 g, lead, complete | 1780.905.2 | Moveable weight, 160 g, complete, burnished | 3.2.016.925 | Moveable weight, 160 g, complete, dull;chromium plated | 1780.903.2 | Weight ring, 100 g, complete | 3.2.150.110 | Barrel weight, complete, 140 g | 3.2.220.901 | Barrel weight, complete 150 g | 3.2.016.916 | Weight plate, 150 g | 1500.946.1 | Intermediate piece, 10 mm, for stock extension AR/Small bore | 1780.517.2 | Buttplate, complete, right (rubber) | 1789.517.2 | Buttplate, complete, left (rubber) | 1780.535.2 | Buttplate, mounted (rubber, without support) | 1780.523.2 | Buttplate, complete, right, with support | 1789.523.2 | Support with buttplate, complete, left, with support | 1780.524.2 | Buttplate, mounted, without support | 3.2.150.523 | Buttplate, complete, with support | 3.2.116.526 | Buttplate, mounted, for shooting on a rest | 3.2.220.571 | Buttplate, mounted | 1871.130.2 | Trigger, 9 mm wide, bent, universal adjustable | 2000.322.1 | Trigger shoe, 9 mm wide | 3.4.350.310 | Vario-Trigger | 2000.930.2 | Shooting sling holder, detachable | 2035.965.2 | Shooting sling holder with anatomical handstop | 3.5.006.512 | Damper | 3.2.226.524 | Buttplate, bottom part, for shooting on a rest (black) | 3.2.028.105 | Sight elevation and relocation for shooting on a rest 13 mm | 3.1.020.902 | Wedge, for shooting on a rest, complete |
|-------------|---|------------|--|------------|--|------------|---|-------------|--|------------|------------------------------|-------------|--------------------------------|-------------|-------------------------------|-------------|---------------------|------------|--|------------|-------------------------------------|------------|------------------------------------|------------|--|------------|--|------------|--|------------|-------------------------------------|-------------|-----------------------------------|-------------|--|-------------|--------------------|------------|--|------------|-------------------------|-------------|---------------|------------|-----------------------------------|------------|--|-------------|--------|-------------|--|-------------|---|-------------|---|


Stocks 800 Universal

- | | | | | | |
|-----------|---|-----------|---|-----------|---|
| 3.2.220.5 | Alu stock, Mod. 800, black/silver, right, grip size M | 3.2.240.5 | Alu stock, Mod. 800, black, right, grip size S | 3.2.227.5 | Alu stock, Mod. 800 X, walnut, left, grip size M |
| 3.2.221.5 | Alu stock, Mod. 800, black/silver, left, grip size M | 3.2.241.5 | Alu stock, Mod. 800, black, left, grip size S | 3.2.228.5 | Alu stock, Mod. 800 X, walnut, right, grip size S |
| 3.2.222.5 | Alu stock, Mod. 800, black/silver, right, grip size S | 3.2.242.5 | Alu stock, Mod. 800, black, right, grip size L | 3.2.229.5 | Alu stock, Mod. 800 X, walnut, left, grip size S |
| 3.2.223.5 | Alu stock, Mod. 800, black/silver, left, grip size S | 3.2.243.5 | Alu stock, Mod. 800, black, left, grip size L | 3.2.230.5 | Alu stock, Mod. 800 X, walnut, right, grip size L |
| 3.2.224.5 | Alu stock, Mod. 800, black/silver, right, grip size L | 3.2.245.5 | Alu stock, Mod. 800, red, right, grip size M | 3.2.231.5 | Alu stock, Mod. 800 X, walnut, left, grip size M |
| 3.2.225.5 | Alu stock, Mod. 800, black/silver, left, grip size L | 3.2.250.5 | Alu stock, Mod. 800, red, left, grip size M | 3.2.251.5 | Alu stock, Mod. 800, red, left, grip size M |
| 3.2.235.5 | Alu stock, Mod. 800, black, right, grip size M | 3.2.251.5 | Alu stock, Mod. 800, red, right, grip size S | 3.2.252.5 | Alu stock, Mod. 800, red, right, grip size S |
| 3.2.239.5 | Alu stock, Mod. 800, black, left, grip size M | 3.2.252.5 | Alu stock, Mod. 800, red, left, grip size S | 3.2.253.5 | Alu stock, Mod. 800, red, left, grip size S |
| | | 3.2.253.5 | Alu stock, Mod. 800, red, right, grip size L | 3.2.254.5 | Alu stock, Mod. 800, red, right, grip size L |
| | | 3.2.254.5 | Alu stock, Mod. 800, red, left, grip size L | 3.2.255.5 | Alu stock, Mod. 800, red, left, grip size L |
| | | 3.2.255.5 | Alu stock, Mod. 800 X, walnut, right, grip size M | 3.2.226.5 | Alu stock, Mod. 800 X, walnut, right, grip size M |

Stocks 700 Universal

- | | |
|-----------|----------------------------------|
| 3.2.150.5 | Universal stock, Mod. 700, right |
| 3.2.151.5 | Universal stock, Mod. 700, left |

500




700
Basic

Model 500

1500.8xx.x	Transparent insert 2,8-3,0-3,2-3,3-3,4-3,5-3,6-3,7-3,8-3,9-4,0-4,2-4,4-4,6-4,8-5,0-5,2-5,4-5,6-5,8-6,0 for front sight tunnel ø = 18 mm	1700.906.1	Aperture type insert 5,2 mm	2035.965.2	Shooting sling holder with anatomical handstop
1500.9xx.x	Transparent insert 2,0-2,2-2,4-2,6-2,8-3,0-3,2 for front sight tunnel ø = 18 mm	1752.915.2	Sight line elevation, complete, 8,5 mm	3.2.016.916	Weight plate, 150 g
3.2.020.7	Diopter, black	1780.903.2	Weight ring, 100 g, complete	3.2.016.925	Moveable weight, 160 g, complete, dull chromium plated
3.2.220.7	Diopter, black (20 clicks)	1780.905.2	Moveable weight, 160 g, complete, burnished	3.2.028.105	Sight elevation and relocation for shooting on a rest 13 mm
1500.946.1	Intermediate piece, 10 mm, for stock extension AR/Small bore	1780.960.3	Iris diopter disc, adjustable from 0,5 to 3,0 mm	3.2.028.114	Sighting line extension, 20cm, complete, for shooting on a rest
1700.905.1	Aperture type insert 4,6 mm	1780.965.3	Iris diopter disc, adjustable from 0,5 to 3,0 mm with 5 colour filter	3.2.100.330	Add-on cocking lever (for models 700 cocking downwards)
		1798.516.1	Filling piece 240 g	3.2.220.901	Barrel weight, complete 150 g
		1871.130.2	Trigger, 9 mm wide, bent, universal adjustable	1500.946.1	Intermediate piece, 10 mm, for stock extension
		2000.322.1	Trigger shoe, 9 mm wide	3.2.160.525	Buttplate, complete
		3.4.350.310	Vario-Trigger	3.1.020.902	Wedge, for shooting on a rest, complete
		2000.930.2	Shooting sling holder, detachable		

Model 700 Basic

1780.8xx.x	Transparent insert 2,8-3,0-3,2-3,3-3,4-3,5-3,6-3,7-3,8-3,9-4,0-4,2-4,4-4,6-4,8-5,0-5,2-5,4-5,6-5,8 for front sight tunnel ø = 22 mm	1780.523.2	Buttplate, complete, right, with support	2035.965.2	Shooting sling holder with anatomical handstop
3.2.000xxx	Transparent insert 6,0-6,2-6,4-6,6-6,8-7,0 for front sight tunnel ø = 22 mm	1780.524.2	Buttplate, mounted, without support	3.2.016.916	Weight plate, 150 g
3.2.020.7	Diopter, black	1780.535.2	Buttplate, mounted (rubber, without support)	3.2.016.925	Moveable weight, 160 g, complete, dull;chromium plated
3.2.150.5	Universal stock, Mod. 700, right	1780.903.2	Weight ring, 100 g, complete	3.2.028.105	Sight elevation and relocation for shooting on a rest 13 mm
3.2.151.5	Universal stock, Mod. 700, left	1780.905.2	Moveable weight, 160 g, complete, burnished	3.2.028.112	Sighting line extension, 14 cm, complete, for shooting on a rest
3.2.220.2	Vario-sight 4 x 4	1780.910.2	Foresight optic dioptic 0,5 (1,5 x) (Adlerauge) M 22	3.2.028.114	Sighting line extension, 20 cm, complete, for shooting on a rest
3.2.220.7	Diopter, black (20 clicks)	1780.914.2	Foresight optic dioptic 0,3 (Adlerauge) M 22	3.2.100.330	Add-on cocking lever (for models 700 cocking downwards)
4.9.0309	Rifle case with knob inlay	1780.915.2	Tilt sight screw	3.2.116.526	Buttplate, mounted, for shooting on a rest
1500.926.1	Additional weight, 220 g, lead, complete	1780.950.3	Foresight iris, adjustable from 2,8 to 4,8 mm	3.2.122.580	Barrel hand protection, air rifle, complete (for;shooting on the rest)
1500.927.1	Additional weight, 110 g, lead, complete	1780.955.3	Foresight iris, adjustable from 3,8 to 5,8 mm	3.2.150.110	Barrel weight, complete, 140 g
1746.902.2	Sight line elevation, complete, 13 mm	1780.960.3	Iris diopter disc, adjustable from 0,5 to 3,0 mm	3.2.150.523	Buttplate, complete, with support
1752.915.2	Sight line elevation, complete, 8,5 mm	1780.965.3	Iris diopter disc, adjustable from 0,5 to 3,0 mm with 5 colour filter	3.2.220.571	Buttplate, mounted
1780.122.2	Clamping screw with support ring for transparent inserts	1789.517.2	Buttplate, complete, left (rubber)	3.2.220.901	Barrel weight, complete 150 g
1780.517.2	Buttplate, complete, right (rubber)	1789.523.2	Support with buttplate, complete, left, with support	3.2.192.503	Plastic cheek rest, black
		1798.516.1	Filling piece 240 g	3.2.160.525	Buttplate, complete for Basic
		1871.130.2	Trigger, 9 mm wide, bent, universal adjustable	3.1.020.902	Wedge, for shooting on a rest, complete
		2000.322.1	Trigger shoe, 9 mm wide		
		3.4.350.310	Vario-Trigger		
		2000.930.2	Shooting sling holder, detachable		



700 Evolution

700 Junior

Other 700 Evolution

- 3.2.100.330 Add-on cocking lever (for models 700 cocking downwards)
- 3.2.106.560 Hand support, blue, adjustable in height
- 3.2.140.560 Hand support, black, adjustable in height
- 3.2.180.560 Hand support, red, adjustable in height
- 3.2.140.570 Hand support, black, adjustable in height and width
- 3.2.122.544 Lower stock support, for shooting on a rest, blue
- 3.2.122.570 Lower stock support, for shooting on a rest, blue
- 3.2.128.570 Lower stock support, for shooting on a rest, black

- 3.5.040.530 Hand support, black, adjustable in height and width, complete
- 3.2.122.580 Barrel hand protection, air rifle, complete (for shooting on the rest)
- 1780.905.2 Moveable weight, 160 g, complete, burnished
- 3.2.016.925 Moveable weight, 160 g, complete, dull;chromium plated
- 1798.516.1 Filling piece 240 g
- 3.2.196.5 Alu stock, Mod. 700 Evolution, blue
- 1780.903.2 Weight ring, 100 g, complete
- 3.2.150.110 Barrel weight, complete, 140 g
- 3.2.220.901 Barrel weight, complete 150 g
- 3.2.172.525 Buttplate, complete, with short rack set (Alu)
- 3.2.116.525 Buttplate, complete, with rack, for shooting on a rest
- 3.2.116.526 Buttplate, mounted, for shooting on a rest

- 3.2.220.571 Buttplate, mounted
- 3.2.220.570 Buttplate, complete, with rack (model 800)
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72mm)
- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.5.006.512 Damper
- 3.2.226.524 Buttplate, bottom part, for shooting on a rest
- 3.2.192.503 Plastic cheek rest, black

Grips 700 Evolution

- 3.2.220.508 Grip, size M, right, beech, black (grip lacquer, Mod..800)
- 3.2.221.508 Grip, size M, left, beech, black (grip lacquer, Mod..800)
- 3.2.222.508 Grip, size S, right, beech, black (grip lacquer, Mod..800)
- 3.2.223.508 Grip, size S, left, beech, black (grip lacquer, Mod..800)
- 3.2.224.508 Grip, size L, right, beech, black (grip lacquer, Mod..800)
- 3.2.225.508 Grip, size L, left, beech, black (grip lacquer, Mod..800)
- 3.2.100.508 Grip, size M, right, for alu-stock, black-grey

- 3.2.101.508 Grip, size M, left, for alu-stock, black-grey
- 3.2.102.508 Grip, size S, right, for alu-stock, black-grey
- 3.2.103.508 Grip, size S, left, for alu-stock, black-grey
- 3.2.104.508 Grip, size L, right, for alu-stock, black-grey
- 3.2.105.508 Grip, size L, left, for alu-stock, black-grey
- 3.2.106.508 Grip, size M, right, for alu-stock, blue
- 3.2.107.508 Grip, size M, left, for alu-stock, blue
- 3.2.108.508 Grip, size S, right, for alu-stock, blue
- 3.2.109.508 Grip, size S, left, for alu-stock, blue
- 3.2.110.508 Grip, size L, right, for alu-stock, blue

- 3.2.111.508 Grip, size L, left, for alu-stock, blue
- 3.2.172.508 Grip, size M, right, for alu-stock, black-red
- 3.2.173.508 Grip, size M, left, for alu-stock, black-red
- 3.2.174.508 Grip, size S, right, for alu-stock, black-red
- 3.2.175.508 Grip, size S, left, for alu-stock, black-red
- 3.2.176.508 Grip, size L, right, for alu-stock, black-red
- 3.2.177.508 Grip, size L, left, for alu-stock, black-red
- 3.2.196.507 Grip, black
- 3.2.196.509 Grip, blue
- 3.2.206.509 Grip, natural


700 Junior

- 1500.926.1 Additional weight, 220 g, lead, complete
- 1500.927.1 Additional weight, 110 g, lead, complete
- 1780.517.2 Buttplate, complete, right (rubber)
- 1780.523.2 Buttplate, complete, right, with support
- 1780.524.2 Buttplate, mounted, without support
- 1780.535.2 Buttplate, mounted (rubber, without support)
- 1780.903.2 Weight ring, 100 g, complete
- 1780.905.2 Moveable weight, 160 g, complete, burnished

- 1789.517.2 Buttplate, complete, left (rubber)
- 1789.523.2 Support with buttplate, complete, left, with support
- 1798.516.1 Filling piece 240 g
- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.2.016.916 Weight plate, 150 g
- 3.2.016.925 Moveable weight, 160 g, complete, dull chromium plated
- 3.2.100.330 Add-on cocking lever (for models 700 cocking downwards)

- 3.2.116.526 Buttplate, mounted, for shooting on a rest
- 3.2.122.580 Barrel hand protection, air rifle, complete (for shooting on the rest)
- 3.2.150.110 Barrel weight, complete, 140 g
- 3.2.150.523 Buttplate, complete, with support
- 3.2.220.571 Buttplate, mounted
- 3.2.040.530 Distance collar set (22 mm)
- 3.1.020.902 Wedge, for shooting on a rest, complete

**2700
Shooting on a Rest**



Grips

- 3.2.100.508 Grip, size M, right, for alu-stock, black-grey
- 3.2.101.508 Grip, size M, left, for alu-stock, black-grey
- 3.2.102.508 Grip, size S, right, for alu-stock, black-grey
- 3.2.103.508 Grip, size S, left, for alu-stock, black-grey

- 3.2.104.508 Grip, size L, right, for alu-stock, black-grey
- 3.2.105.508 Grip, size L, left, for alu-stock, black-grey
- 3.2.106.508 Grip, size M, right, for alu-stock, blue
- 3.2.107.508 Grip, size M, left, for alu-stock, blue
- 3.2.108.508 Grip, size S, right, for alu-stock, blue
- 3.2.109.508 Grip, size S, left, for alu-stock, blue
- 3.2.110.508 Grip, size L, right, for alu-stock, blue

- 3.2.111.508 Grip, size L, left, for alu-stock, blue
- 3.2.172.508 Grip, size M, right, for alu-stock, black-red
- 3.2.173.508 Grip, size M, left, for alu-stock, black-red
- 3.2.174.508 Grip, size S, right, for alu-stock, black-red
- 3.2.175.508 Grip, size S, left, for alu-stock, black-red
- 3.2.176.508 Grip, size L, right, for alu-stock, black-red
- 3.2.177.508 Grip, size L, right, for alu-stock, black-red

Stocks

- 3.5.064.5 Universal stock, complete, right
- 3.5.065.5 Universal stock, complete, left
- 3.5.040.5 Alu stock, Mod. 2700, blue right, grip size M (without hand rest)
- 3.5.041.5 Alu stock, Mod. 2700, blue left, grip size M (without hand rest)
- 3.5.042.5 Alu stock, Mod. 2700, blue right, grip size S (without hand rest)
- 3.5.043.5 Alu stock, Mod. 2700, blue left, grip size S (without hand rest)
- 3.5.044.5 Alu stock, Mod. 2700, blue right, grip size L (without hand rest)

- 3.5.045.5 Alu stock, Mod. 2700, blue left, grip size L (without hand rest)
- 3.5.052.5 Alu stock, Mod. 2700, silver right, grip size M, (without hand rest)
- 3.5.053.5 Alu stock, Mod. 2700, silver left, grip size M (without hand rest)
- 3.5.054.5 Alu stock, Mod. 2700, silver right, grip size S (without hand rest)
- 3.5.055.5 Alu stock, Mod. 2700, silver left, grip size S (without hand rest)
- 3.5.056.5 Alu stock, Mod. 2700, silver right, grip size L, (without hand rest)
- 3.5.057.5 Alu stock, Mod. 2700, silver left, grip size L (without hand rest)
- 3.5.070.5 Alu stock, for shooting on a rest, Mod. 2700, blue, right, grip size M
- 3.5.071.5 Alu stock, for shooting on a rest, Mod. 2700, blue, left, grip size M
- 3.5.072.5 Alu stock, for shooting on a rest, Mod. 2700, blue, right, grip size S


- 3.5.073.5 Alu stock, for shooting on a rest, Mod. 2700, blue, left, grip size S
- 3.5.074.5 Alu stock, for shooting on a rest, Mod. 2700, blue, right, grip size L
- 3.5.075.5 Alu stock, for shooting on a rest, Mod. 2700, blue, left, grip size L
- 3.5.082.5 Alu stock, for shooting on a rest, Mod. 2700, silver right, grip size M
- 3.5.083.5 Alu stock, for shooting on a rest, Mod. 2700, silver left, grip size M
- 3.5.084.5 Alu stock, for shooting on a rest, Mod. 2700, silver right, grip size S
- 3.5.085.5 Alu stock, for shooting on a rest, Mod. 2700, silver left, grip size S
- 3.5.086.5 Alu stock, for shooting on a rest, Mod. 2700, silver right, grip size L
- 3.5.087.5 Alu stock, for shooting on a rest, Mod. 2700, silver left, grip size L

Other

- 3.5.070.150 Barrel hand protection, small bore, complete (for shooting on the rest)
- 1500.946.1 Intermediate piece, 10 mm, for stock extension AR/Small bore
- 1780.517.2 Buttplate, complete, right (rubber)
- 1789.517.2 Buttplate, complete, left (rubber)
- 1780.535.2 Buttplate, mounted (rubber, without support)
- 1780.523.2 Buttplate, complete, right, with support
- 1789.523.2 Support with buttplate, complete, left, with support
- 1780.524.2 Buttplate, mounted, without support
- 3.2.150.523 Buttplate, complete, with support
- 3.2.116.526 Buttplate, mounted, for shooting on a rest
- 3.2.226.571 Buttplate, mounted

- 3.5.040.570 Buttplate with hook complete
- 1871.130.2 Trigger, 9 mm wide, bent, universal adjustable
- 2000.322.1 Trigger shoe, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 2000.930.2 Shooting sling holder, detachable
- 2035.965.2 Shooting sling holder with anatomical handstop
- 3.5.040.505 Rear stock, black
- 3.2.122.560 Lower stock support, for shooting on a rest, blue, long
- 3.2.128.560 Lower stock support, for shooting on a rest, black, long
- 3.5.052.509 Hand support, black, complete
- 3.5.052.510 Hand support, black, mounted
- 3.5.024.527 Hand support, blue, compl.
- 3.5.040.530 Hand support, black, adjustable in height and width, compl.
- 3.2.100.550 Moveable weight, inside, complete

- 3.2.100.520 Support (approx. 51 g)
- 3.2.100.521 Rotating support (approx. 47 g)
- 3.2.220.523 Attachment plate, mounted, with toothed rack (approx. 72 mm)
- 3.5.010.944 Set of racks, long (approx. 95 mm)
- 3.5.010.945 Set of racks, short (approx. 52 mm)
- 3.5.010.946 Set of racks (approx. 72 mm)
- 3.2.100.527 Attachment plate, large
- 1746.903.2 Front sight holder, raised, complete
- 3.2.028.112 Sighting line extension, 14 cm, complete, for shooting on a rest
- 3.2.028.114 Sighting line extension, 20 cm, complete, for shooting on a rest
- 3.5.010.933 Moveable weight for stock, 100 g
- 3.5.010.935 Moveable weight for stock, 200 g



accessories - P44

- 3.4.350.930 Block-type front sight P44, 3,0 mm, compl.
- 3.4.350.934 Block-type front sight P44, 3,4 mm, compl.
- 3.4.350.938 Block-type front sight P44, 3,8 mm, compl.
- 3.4.350.942 Block-type front sight P44, 4,2 mm, compl.
- 3.4.350.946 Block-type front sight P44, 4,6 mm, compl.
- 3.4.350.950 Block-type front sight P44, 5,0 mm, compl.
- 3.4.350.180 Front sight base with front sight plug in type, compl.
- 3.4.350.182 Front sight, plug in type, black (4,0/4,5/5,0mm);
- 3.4.200.250 Rear sight, complete
- 3.4.350.927 Separator (Steel), ca. 42 g
- 3.4.350.5 Anatomical grip, size M, right

- 3.4.351.5 Anatomical grip, size M, left
- 3.4.352.5 Anatomical grip, size S, right
- 3.4.353.5 Anatomical grip, size S, left
- 3.4.354.5 Anatomical grip, size XS, right
- 3.4.355.5 Anatomical grip, size XS, left
- 3.4.356.5 Anatomical grip, size XXS, right
- 3.4.358.5 Anatomical grip, size L, right
- 3.4.359.5 Anatomical grip, size L, left
- 3.4.350.560 Grip support for shooting on a rest - air pistols (with adapter plate)
- 3.4.350.550 Grip support for shooting on a rest - air pistols (with clamping sleeve)
- 1871.144.2 Trigger, 9 mm, bent, universal, adjustable, 9 mm wide
- 3.4.350.310 Vario-Trigger
- 1750.010.3 Special grease 4 g
- 1877.001.2 Filler neck, complete

- 1830.006.1 Discharge screw
- 3.4.350.902 Moveable weight, 30 g
- 3.4.350.904 weight rod (steel), compl., approx. 40 g (1 piece)
- 3.4.350.907 weight rod (steel), compl., approx. 60 g
- 3.4.350.910 Sliding weight with 2 rods, 60 g;
- 3.4.350.912 Weight rod, compl. (1 piece)
- 3.4.350.911 Sliding weight, 30 g, mounted
- 3.4.000.215 Compressed air cylinder, red, long
- 3.4.362.215 Compressed air cylinder, short, silver
- 3.4.350.215 Compressed air cylinder, long, silver
- 1830.214.1 Dust cap for cylinder
- 4.9.0308 Pistol case with knob inlay

accessories - P11

- 3.4.340.260 Rear sight displacement, 30 mm, P11 (needed to mount anatomical grip on model P11)
- 3.4.350.927 Separator (Steel), ca. 42g
- 3.4.340.5 Grip right/left P11 (beech, black)
- 3.9.260.501 Grip, size S, right/left
- 1871.144.2 Trigger, 9 mm, bent, universal, adjustable, 9 mm wide
- 3.4.350.310 Vario-Trigger

- 1750.010.3 Special grease 4 g
- 1877.001.2 Filler neck, complete
- 1830.006.1 Discharge screw
- 3.4.350.560 Grip support for shooting on a rest - air pistols;(with adapter plate)
- 3.4.350.550 Grip support for shooting on a rest - air pistols;(with clamping sleeve)
- 3.4.350.904 weight rod (steel), compl., approx. 40 g (1 piece)
- 3.4.350.912 Weight rod, compl. (1 piece)
- 3.4.000.215 Compressed air cylinder, red, long
- 3.4.362.215 Compressed air cylinder, short, silver

- 3.4.350.215 Compressed air cylinder, long, silver
- 1830.214.1 Dust cap for cylinder
- 3.4.200.250 Rear sight, complete
- Grips P44 also fitting on P11 - but just in connection with: 3.4.340.260

accessories - AW93

- 2500.119.1 Front sight for Mod. AW93, 3,8 mm width
- 2500.901.1 Front sight for Mod. AW93, 4,2 mm width, 2 mm higher
- 2500.902.1 Front sight for Mod. AW93, 3,8 mm width, 2 mm higher
- 2500.903.1 Front sight for Mod. AW93, 4,2 mm width

- 2500.904.1 Front sight for Mod. AW93, 3,8 mm, 1 mm higher
- 2500.906.1 Front sight for Mod. AW93, 4,2 mm, 1 mm higher
- 3.4.200.250 Rear sight, complete
- 2500.260.2 Anatomical grip, right, compl. size L, for AW 93 right/left
- 2500.265.2 Anatomical grip, left, compl. size L, for AW 93, right/left
- 2500.270.2 Anatomical grip, right, compl. size S, for AW93, right/left
- 2500.275.2 Anatomical grip, left, compl. size S, for AW93, right/left

- 3.5.560.210 Vario-Trigger AW93
- 1750.010.3 Special grease 4 g
- 2500.290.2 Magazine, AW93 (with catch bolt)
- 3.5.560.118 Locking piece, complete (ALU)
- 3.5.560.123 Weight plate, 40 g, complete
- 4.9.0308 Pistol case with knob inlay